

# arco series



## ARCO-24-T

---

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 07/04/2026

 **DAS AUDIO**

## KEY FEATURES

- Molded high impact ABS enclosures
- Small size and ready-to-paint exterior
- Adjustable ceiling/wall mount included
- Factory installed multi-tap transformers

## DESCRIPTION

The Arco-24T incorporates two 4" woofers with weather resistant polypropylene cones. High frequency reproduction is handled by a 25 mm neodymium dome tweeter for brilliant highs and balanced performance. An Overload Safety Circuit protects the speakers from damage in case of overpowering.

The "T" versions include a multi tap transformer with variable settings including an 8 ohm bypass position. Optional IP 54 kits for outdoor use are available.

The packaging of this model includes 2 units of the product and 2 AX-4RM mounting brackets (or AX-4RM-W for the white version).

# ARCO-24-T

---

## SPECIFICATIONS

### Performance

Frequency Range (-10 dB)	65 Hz – 22 kHz
Horizontal Coverage (-6 dB)	80°
Vertical Coverage	70°
Nominal Impedance	8 ohms
Transformer Taps 70 V	5 W-10 W-15 W
Transformer Taps 100 V	10 W-20 W-30 W
RMS Power Handling	100 W
Peak Power Handling	400 W
On-axis Sensitivity 1W/1 m	89 dB SPL
Maximum Peak SPL at 1 m	115 dB
Recommended Amplifier	INTEGRAL-A402 INTEGRAL-A404
Recommended Processor	INTEGRAL-M88 INTEGRAL-MA1604 INTEGRAL-MA1004

### Connectors

Audio Input Connector	Spring Terminals
Audio Output Connector	Spring Terminals

# ARCO-24-T

## Enclosure

Enclosure Construction	High Impact ABS
Enclosure Geometry	Trapezoidal
Color	Black
Dimensions ( H x W x D )	340 x 145 x 140 mm 13,4 x 5,7 x 5,5 in
Net Weight	2,6 kg ( 5,7 lb )

## Components

LF Driver	4G4
HF Driver	TWT-24

## Shipping

Carton Dimensions ( H x W x D )	455 x 330 x 170 mm 17,9 x 13,0 x 6,7 in
Shipping Weight	3,3 kg ( 7,3 lb )

# ARCO-24-T

## ORDERING INFORMATION

Model	Description	P/N
<b>System</b>		
ARCO-24-T		10404560
<b>Replacement Parts</b>		
4G4	Cone Transducer	10205210
TWT-24	Diaphragm	10212090
<b>Accessories</b>		
AXA-AC	Installation & Stacking Acc.	10104370
AXU-AC24	Installation & Stacking Acc.	10104350
KIT-IP-ARCO	Installation & Stacking Acc.	10404660

# ARCO-24-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 07/04/2026

